



FUJIAN SIJIA INDUSTRIAL MATERIAL CO.,LTD

Technical Data Sheet

Item	TPU material TFG0785		
Type of coating	TPU		
Finish	Polyether Transparent / glossy		
Thickness	0.70 mm		ISO 4593
Total weight	783.2 ±3%		DIN EN ISO 2286-2
Hardness	Shore A	85 ±2	ASTM D2240
Strength at break	warp / weft	47.6 / 49.3 Mpa	ASTM D412
Elongation at break	warp / weft	749.9 / 843.5 %	
Tearing strength (Right-angle)	warp / weft	46.3 / 45.4 N/mm	ASTM D624 Die C
Cold resistance		- 60°C ~ + 80°C	DIN EN 1876-2

Add: Sijia Industrial Garden zone, Huanxi Town, Jinan District, Fuzhou, Fujian, China (Zip code: 350024).

Tel : 0591-87956999

Email: sijia@sijiacn.com

Fax : 0591-87956333

Website : www.sijiacn.com

The test data in the report is only for samples, and for reference only;

The test data without permission shall not arbitrarily modify. If need to modify, the modified data must have the signature (Seal) of the experimenter.